

**John Orlikow – RIVER HEIGHTS-FORT GARRY**

---

1. City council approved funding for the updated design of the NEWPCC Interim Phosphorus Removal Capital Project on July 21, 2022. The projected completion date for this project is Aug. 31, 2023.

Will you ensure the NEWPCC Interim Phosphorus Removal Capital Project is completed and operational by Aug. 31, 2023? If not, please explain why you aren't making this commitment?

**Yes, I am committed to completing the Phosphorus Removal Capital Project by Aug 31, 2023.**

2. City council deferred the estimated \$130 million cost to increase digester capacity in the NEWPCC Biosolids Facilities Project to the 2024-2027 multi-year budget process. Winnipeg's next city council will be asked to approve this funding to ensure the new biosolids facilities can achieve phosphorus compliance.

Will you approve the necessary funding for increased digester capacity in the 2024-2027 city budget? If not, please explain why you aren't making this commitment.

**Yes, I am committed to working with the rest of the City of Winnipeg Council to prioritize the funding for this project in the 2024-2027 city budget.**

3. From your perspective, what consequences do continued algal blooms on Lake Winnipeg have for long-term prosperity and quality of life in the city of Winnipeg?

- a) algae bloom killing fish ultimately causing negative economic impact,**
- b) enjoyment of the lake for everyone.**
- c) negatively impacts Winnipeg as a water leader for other municipalities and govt to do more**